

AUG 0 2 2005 W

Customer Number: 23446 Attorney Docket No. 15DS549

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| in the Application of: |) <u>CERTIFICATE OF MAILING</u> | |
|---|--|--|
| Olstad | I hereby certify that this correspondence is being deposited with the United States Postal | |
| Serial No. 10/849,374 | Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313 | |
| Filed: May 19, 2004 | | |
| For: System and Method for Extracting Information Based on Ultrasound-Located Landmarks | July 29, 2005 | |
| Examiner: Not yet assigned | Christopher R. Carroll | |
| Group Art Unit: 3737 | Reg: No.: 52,700 Attorney for Applicant | |
| Confirmation No. 6522 | ,) | |

STATUS INQUIRY

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

More than fourteen months have passed since the filing of the application (filed April 19, 2004). No further communication has been received from the Patent and Trademark Office indicating action on this application.

Kindly advise the undersigned of the present status of this application by checking the appropriate box below. A stamped return-addressed envelope is provided.

Respectfully submitted,

Dated: July 29, 2005

Christopher R. Carroll Reg. No. 52,700 Attorney for applicant

McAndrews, Held & Malloy, Ltd. 34th Floor 500 West Madison Street Chicago, IL 60661 312/775-8000

Applicant: Olstad

Serial No. 10/840,542 Filed: May 19, 2004

Filed: May 19, 2004 Group Art Unit: 3737 Confirmation No. 6522 Our Reference: 15DS00549

(13109US02)

Title: System and Method for Extracting Information Based on the Ultrasound-Located Landmarks

STATUS INQUIRY REPLY

APPLICATION SERIAL NO. 10/849,374 IS CURRENTLY

| [x] | [x] | Assigned to group 3737 and awaits: | | |
|------|-----|---|--|--|
| | | [] Action by Examiner is expected by (date) | | |
| | [] | The Status Of The Patent Application Is As Follows: | | |
| | | | | |
| | | | | |
| Date | | SIGNATURE OF PTO EMPLOYEE Name: Title: | | |